

Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors PO ID PO36711 Receipt Dates from 6/23/2017 to 6/23/2017

All Item ID/GL/WOs All Rec. Employees

Grouped by Vendor ID

[illegible]



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 2


Shipment No:3313881

Ship From: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped 22-JUN-17	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier MANITOU LIN	BOL No 3313881-2

Shipment Details	Final Destination Branch - TOR
-------------------------	---------------------------------------

Order No 4799537	Line No 1	Item No 23970	Description 1.0000.RD.17CR-4NI.STAINLESS.CF.H1150.132.0000-156.0000 SPECIFICATIONS: AMS 5643
Purchase Order No 36711	Part Number	Ordered Qty 12.00 FT	Invoice Qty 12.8333 FT

Details	ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS		
----------------	---	--	--

Delivery No. 121126081	Mill VALBRUNA CORPORATION	Heat Number  2 6 9 1 7 3	Mech Id	PCS 1	Width (IN)	Length (IN) 154.0000	Shipped Qty(LBS) 34.2650
----------------------------------	--	--	----------------	-----------------	-------------------	--------------------------------	------------------------------------

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A. M. Castle & Co. within 60 days of the shipment. Material cut to the correct size or material cut by the customer cannot be returned for credit.

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 22-JUN-2017 03:00:42 PM



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 2 of 2

Reviewed by Authorized Castle Metals Representative	Date:	Name:
---	-------	-------

SHIPPED JUN 22 2017

M. Randin



887-6-26

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.
Date Printed: 22-JUN-2017 03:00:42 PM



Acciaierie Valbruna S.p.A.

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.
 Telefono 0444.986211 - Fax 0444.983838
 Stab.: 36100 BOLZANO (Italia) - Via A. Volta, 4/37
 Telefono 0471.924111 - Fax 0471.924497

CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

In conformità a: **EN 10204 (2004), 3.1**

Certificato nr. **MEST868688 / 2016 /**
 Prüfung/Test/Essai

Cliente / Besteller/Purchaser/Cient
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801 - FORT WAYNE, IN 46801 - US

Stato di fornitura Hot rolled Polished Aged Peeled
 Lieferzustand
 Delivery State
 Etat de livraison

Produttore Hersteller/Hersteller/producer
STABILIMENTO DI BOLZANO

Ordine nr. 47279 365055 CASTLE
 Bestell Your order Commande

Tipo di Elaborazione E+AOD
 Erzeugungsart
 Making process
 Mode d'élaboration

Marchi di Fabbrica Zeichen der Lieferwerke Trade marks Signes de l'usine productrice



Conferma ordine nr. EI15011270
 Werk/Our Order/Nr

Qualità Werkstoff/Grade/Qualité
T-630 H1150 #23970

Posizione del Collaudatore Bericht des Werkstoffversuchsanlagen Inspector à l'état/Position de l'essayeur

MR

Avviso di Spedizione: D-BZ16003203
 Lieferanweisung/Packing list/Et

Marche Markenbezeichnung Brand / Marque
V174/1

Posizione 630 Kennzeichnung Markung Marquage

PO 365055

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

IAC 23970

QUALITY MANAGEMENT SYSTEM CERTIFIED BY LLOYD'S REGISTER ACCORDING TO ISO 9001 : 2008, ISO/TS16949 : 2009, AS 9100C

The Quality Management System is Certified acc. Pressure Equipment Directive "97/23/EC" Annex 1.3.4.3 by TÜV and LLOYD'S
 Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.
 Maximal and/or Valplus grades/products are manufactured with ladle techniques to control composition, distribution, size and shape of non-metallic inclusions for improved machinability.
 The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

Castle Metals
269173

HEAT NUMBER
 MECHANICAL ID
 ITEM CODE **23970**
 LOT NUMBER
 PO NUMBER **365055**
 RECEIPT DATE **7-18-16**
 SUPPLIER **Valbruna**
 SPECIFICATION
 LCS
 COMMENT
 APPROVED **[Signature]**

Bolzano, 11/06/16

GBL000

(Mod. MCEZ)

Il collaudatore di stabilimento / der Werkstoffversuchsanlagen / Works Inspector / L'agent d'usine

M. Rizzotto

Pagina - 3 di 3



Acciaierie Valbruna S.p.A.

38100 VICENZA (Italia) - V.le della scienza, 25 z.l.
Telefono 0444 988211 - Fax 0444.983838
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4/37
Telefono 0471.924111 - Fax 0471.924487

CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

In conformità a **EN 10204 (2004), 3.1**

Certificato nr. **MEST866688 / 2016 /**

Cliente / Besteller/Purchaser/Cient
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801 - FORT WAYNE, IN 46801 - US

Stato di fornitura **Hot rolled Polished Aged Peeled**
Lieferzustand
Zubereitungs
Etat de livraison

Produzione:
Herstellwerk/Usine productrice
STABILIMENTO DI BOLZANO

Ordine nr. 47279 365055 CASTLE
Bestell
Your order
Commande

Tipo di Elaborazione **E+AOD**
Erweiterungen
Welding process
Mode d'élaboration

Marchi di Fabbrica:
Zeichen des Lieferanten
Trade marks
Signes de l'usine productrice

Conferma ordine nr. **E115011270**
Werk- oder Order-Nr.

Qualità **T-630 H1150 #23970**
Version/Grade/Qualität

Punzione del Collaudatore
Stempel des Versuchsverständigen
Inspector's stamp/Signature de l'inspecteur

Avviso di Spedizione: **D-BZ16003203**
Lieferanweisung/Shipping note

Marcia **V174/1**
Metallbezeichnung
Brand / Marque

Punzonatura **630**
Kendelstempel
Mouling
Marquage

AV

MR

PO 365055
TA-C 23970

Mechanical properties according to ASTM A370									
TEST	Prove/Prüfung Essais/Vergewungen Essays/Vergewungen Essays/Vergewungen Essays/Vergewungen	°F	°C	Resilienz Resilienz Resilienz Resilienz	Expansione laterale Lateral expansion Lateral expansion Lateral expansion			Shear Shear Shear Shear	
Valori richiesti Anforderungen/Requisiten Values demanded	min max			30 130	30 130	30 130	1,320 1,340 1,350		
B	10X10	68	L	123	130	127	1,320 1,340 1,350		

Mechanical properties according to ASTM A370.
Delta Fertile according to AMS 2315.

Analisi chimica											
Chemical analysis											
Colore / Color Farbe/Farbe	mm - max	0.075	1.00	1.00	15.00 17.50	0.50	3.00 5.00	2.00 5.00	0.040	0.030	
269173	C %	0.034	0.42	0.50	15.64	0.22	3.37	4.66	0.021	0.021	0.0022
Colore / Color Farbe/Farbe	mm - max	0.450	0.150	0.450							
269173	Cb(Nb)%	0.258	Nb%+Ta%	0.260							

Macro etch test : satisfactory.
Reduction ratio = 56,6 : 1
Material solution annealed 1904° F for 1h,
air cooled to below 90° F.
Age-hardened 1150° F for 4h, air cooled to below 90° F.
Material is DFARS Compliant

Sono state soddisfatte tutte le condizioni richieste
Die gestellten Anforderungen sind d. Anlage erfüllt
The material has been furnished in accordance with the requirements
Le matériel a été livré conforme aux exigences

Controllo antisecolarizzazione: OK
Verwechslungsprüfung: antisecolarisiert durchgeföhrt
Antisecolarization testing performed: OK
Contrôle antisecolarisation: OK

Controllo visivo e dimensionale: soddisfa le esigenze
Beoptung und Ausmessung: ohne Beanstandung
Visual inspection and dimensional checks satisfactory
Contrôle visuel et dimensionnel: satisfaisant

Bolzano, 11/05/16
89.005

Il collaudatore di stabilimento / der Werkssachverständige / Works Inspector / L'agent d'usine

M. Rizzotto

Pagine - 2 di 3



Acciaierie Valbruna S.p.A.

39100 VICENZA (Italia) - Viale della scienza, 26 z.l.
Telefono 0444.998211 - Fax 0444.993836
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4/37
Telefono 0471.924111 - Fax 0471.924497

CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

In conformità a **EN 10204 (2004) , 3.1**
Nach/According to/Selon

Certificato nr. **MEST866688 / 2016 /**
Prüfung/Test/Essai

Cliente / Besteller/Käufer/Klient
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801 - FORT WAYNE IN 46801 - US

Stato di fornitura Hot rolled Polished Aged Peeled
Lieferzustand
Delivery state
Etat de livraison

Produttore:
Hersteller/Hersteller/Producent
STABILIMENTO DI BOLZANO

Ordine nr 47279 365055 CASTLE
Bestell
Your order
Commande

Tipo di Elaborazione E+AOD
Erweiterungsart
Working process
Méthode d'élaboration

Marchi di Fabbrica:
Zeichen des Herstellerwerkes
Traces marquées
Sigles de l'usine productrice



Conferma ordine nr EI15011270
Werk-/Our Order/Ref nr

Qualità T-630 H1150 #23970
Werkstoff/Grade/Qualité

Punziona del Collaudatore:
Stempel des Werkstoffversuchsanstalt
Inspection + stamp/Parques del essai pour

MR

Avviso di Spedizione: D-BZ16003203
Lieferanweisung/Shipping instr L

Marca: V174/I
Markenbezeichnung
Brands / Marque

Punzonatura: 630
Kennzeichnung
Markierung
Marquage

SPECIFICHE:	Note
Anforderungen / Requirements / Exigences	Auszeichnungen / Notes / Notes
3174-04 37 630 H1150 AGED	
AKSI 630	
AMS 2303 F	
AMS 5643 T S17400 H1150	
ASME SA564 2013 S17400 H1150 (0)	
ASTM A564 2013 S17400 H1150	
	(0)SECTION II PTA 2013 EDITION

PO 365055
IAC 23970

Tolleranza: ASTM A484-15 TABLE 7		Tolerances: ASTM A484-15 TABLE 7					
Pos. nr.	Oggetto	Dimensioni - in	Lunghezza - in	Colata	Pezzi	Peso - LB	Lotto nr.
Pos. n°	Objet	Dimensions	Longueur	Choix	Quantité	Poids	Lot n°
0010	Round	1,0000	130/ 148	269173		4.570	528507960

TEST ALLO STATO DI FORNITURA									
Test on delivery condition / Prüfung auf Lieferbereitem produkt / Test a l'état de fourniture / Prueba sobre el material así como entregado									
TEST	Profil	Temperatura	Snervamento	Snervamento	Resistenza	Allungamento	Strizione	Resistenza	Durezza
	mm	°F	Yield Strength	Tensile Strength	Yield Strength	Elongation	Reduction of area	Impact Value	Hardness
			RP 0.2%	RP 0.2%	Rm	E 4d	RA		HB
Valori richiesti		min	max						
A	12.5	68	L	133	147	19	64		329

Test On Delivering Condition			
Test on delivery condition / Prüfung auf Lieferbereitem produkt / Test a l'état de fourniture / Prueba sobre el material así como entregado			
TEST		min	max
A	HRC	28.0	33.0

TEST ALLO STATO DI FORNITURA			
Test on delivery condition / Prüfung auf Lieferbereitem produkt / Test a l'état de fourniture / Prueba sobre el material así como entregado			
TEST		min	max
A	Delta Ferrite		5.0
A	RATINGS FREQUENCY		1.10
A	RATINGS SEVERITY		1.05

DAS 14 17/06/26
9-89

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M174PH1150 R1.00
 DATE: 17/10/26

PO / BATCH NO.: 36711/137879

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 12.8333
 QUANTITY INSPECTED: 12.8333
 QUANTITY REJECTED: _____

THICKNESS ORDERED: 1.00
 THICKNESS RECEIVED: 1.00
 SHEET SIZE ORDERED: _____
 SHEET SIZE RECEIVED: _____

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y	N	
CORROSION	Y	<input checked="" type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y	N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="checkbox"/> Y	N	A95 5643
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y	N	1.00
PHOTO REQUIRED	Y	<input checked="" type="checkbox"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y	N	HEAT# 269173
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y	N	M174PH1150 R1.00
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y	N	M137879
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>[Signature]</u> DATE: <u>17/10/26</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: 17-4 PH / S17400 / TYPE 630 SS ROUND BAR
 PER AMS 5643 / ASTM A564
 GRAIN MUST BE ALONG LENGTH OF BAR
 MINIMUM YIELD TENSILE STRENGTH = 100 KSI
 MINIMUM ULTIMATE TENSILE STRENGTH = 150 KSI

SPECIFICATION: ASTM A564
PART NUMBER: M17-4-R1 X.XXX | WHERE X.XXX = DIAMETER (IN INCHES)
 O.D.

EG. 3.0" DIAMETER BAR = M17-4-R3.000

RELEASED
 R 2010-06-29

B		REFORMAT DWG. S17400 TYPE 630, ADDED TO SPECIFICATION MATERIAL (2N D6-1), ADD A564 SPEC (C8-1). REF PAR 06-020A		VS	10.05.20
A		NEW ISSUE		CP	05.03.16
REV.		DESCRIPTION		BY	DATE
DESIGN	VS	DART AEROSPACE LTD			
DRAWN		HAWKESBURY, ONTARIO, CANADA			
CHECKED	VS	DRAWING NO.		REV. B	
MFG. APPR.	VS	M17-4-R		SHEET 1 OF 1	
APPROVED	VS	TITLE		SCALE	
DE APPR.	VS	17-4 SS ROUND BAR		NTS	
DATE	10.05.20				

COPYRIGHT © 2003 BY DART AEROSPACE LTD.
 THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT PERMISSION FROM DART AEROSPACE LTD.



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO36711

Purchase Order Date 6/15/2017

PO Print Date 6/22/2017

Page Number 1 of 4

Order From :

VU-MET002

METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

REVISED P/N!

Contact Name

Buyer

Chantal Lavoie

Vendor Phone

Customer POID

Customer Tax #

10127-2607

Ship To Contact

Terms

Net 30

Ship To Phone

Currency

USD

Ship Via:

Yours ppd

FOB

Destination-Collect

Ship Acct:

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M7075T6S1.000X2.500	7075-T6S Sheet 2.5" Wide x 1" Thick Plate	7/6/2017 Yes 7/6/2017	FN	12.00 f	\$30.42	\$365.04
MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE							Line Total: \$365.04
2	M7075T6S6.000X0.250	7075-T6S Sheet 0.25" Wide x 6" Thick Plate	7/6/2017 Yes 7/6/2017	FN	24.00 f	\$20.75	\$498.00
MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE							Line Total: \$498.00

Note:

6/22/2017



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO36711

Purchase Order Date 6/15/2017

PO Print Date 6/22/2017

Page Number 2 of 4

Order From :

VU-MET002

METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

Destination-Collect

3	M7075T6S6.000X1.000	7075-T6S Sheet 1" Wide x 6" Thick Plate	7/6/2017	FN	24.00	\$44.25	\$1,062.00
			Yes		f		
			7/6/2017				

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

Line Total: \$1,062.00

4	M7075T6S7.000X2.000	7075-T6S Sheet 2" Wide x 7" Thick Plate	7/6/2017	FN	18.00	\$88.44	\$1,592.00
			Yes		f		
			7/6/2017				

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

Line Total: \$1,592.00

Note:

6/22/2017



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO36711

Purchase Order Date 6/15/2017

PO Print Date 6/22/2017

Page Number 3 of 4

Order From :

VU-MET002

METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

5	M7075T73B3.000X4.000	7075-T73 Bar 3.0 x 4.0 grain direction along 3"	7/6/2017	4.00	\$101.00	\$404.00
		Yes	7/6/2017	f		

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

NOTE: CUT 16 PCS AT 13.375", GRAIN DIRECTION ALONG 13.375"

6	M174PH-H1150R1.000	M174PH-H1150R1.000	6/27/2017	12.00	\$21.35	\$256.20
		Yes	6/27/2017	f		

MATERIAL: 17-4 PH CONDITION H1150
GRAIN MUST BE ALONG LENGTH OF BAR

Line Total: \$404.00

Line Total: \$256.20

8	D6104-005P	17-4 SS Roundbar 4.00"Od	7/6/2017	10.00	\$54.20	\$542.00
		Yes	7/6/2017	Each		

AS PER DWG D6104 REV. B
B162764
MATERIAL: 17-4 PH AS PER AMS 4643 OR AISI 630
SIZE: 4.00" X 5.10" LONG

Note:

6/22/2017



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO36711**

Purchase Order Date 6/15/2017

PO Print Date 6/22/2017

Page Number 4 of 4

Order From :

VU-MET002

METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency USD

FOB Destination-Collect

Chantal Lavoie

Line Total: \$542.00

9	71401-45	PROCUREMENT QUALITY CLAUSES	7/6/2017	1.00		\$0.00	\$0.00
---	----------	--------------------------------	----------	------	--	--------	--------

No

7/6/2017

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

217-6-20

Line Total: \$0.00

PO Total: \$4,719.24

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 2

Change Date: 6/22/2017